



Risk Assessment - Beam House

Activity Risk Management

Activities

Activities	Inherent Risk Present					
	Drowning	Falling	Entrapment Entanglement	Getting Lost	Hypothermia	Specific Other
Abseiling	no	yes	yes	no	no	no
Aeroball	no	yes	no	no	no	no
Archery	no	no	no	no	no	being struck
Archery Tag	no	no	no	no	no	being struck
Beach Games	no	no	no	yes	yes	being struck
Bodyboarding	yes	no	no	yes	yes	being struck
Challenge Course	no	yes	yes	no	yes	slips & trips
Climbing	no	yes	yes	no	no	no
Fencing	no	no	no	no	no	being struck
High Ropes Course	no	yes	yes	no	no	no
Orienteering	no	no	no	yes	no	slips & trips
Problem Solving	no	no	no	no	no	no
Rifle Shooting	no	no	no	no	no	being struck
Sensory Trail	no	no	yes	no	no	slips & trips
Stand Up Paddleboarding	yes	yes	no	no	no	being struck
Street Surfing	no	yes	no	no	no	no
Surfing	no	yes	no	yes	yes	being struck
Survivor	no	no	no	no	no	being struck
Tarka Trail Walk	no	yes	no	yes	yes	slips & trips
Trapeze	no	yes	yes	no	no	no
Zip Wire	no	yes	no	no	no	slips & trips

	Control Measures In Place					
	Swimming Ability Check	Instructor Competence (see note 1)	Standard Procedures	Activity on PGL Site	Protective Equipment	First Aid Cover
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	see note 2	✓	✓
	✓	✓	✓	see note 2	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓
	✓	✓	✓	see note 2	✓	✓
		✓	✓	✓	✓	✓
	✓	✓	✓	see note 2	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	see note 2	✓	✓
		✓	✓	✓	✓	✓
		✓	✓	✓	✓	✓

Risk Assessment Summary

Activities	Residual Risk Level	
	(low, med or high)	Explanation
Abseiling	low	n/a
Aeroball	low	n/a
Archery	low	n/a
Archery Tag	low	n/a
Beach Games	low	n/a
Bodyboarding	low	n/a
Challenge Course	low	n/a
Climbing	low	n/a
Fencing	low	n/a
High Ropes Course	low	n/a
Orienteering	low	n/a

Activities cont.	Residual Risk Level	
	(low, med or high)	Explanation
Problem Solving	low	n/a
Rifle Shooting	low	n/a
Sensory Trail	low	n/a
Stand Up Paddleboarding	low	n/a
Street Surfing	low	n/a
Surfing	low	n/a
Survivor	low	n/a
Tarka Trail Walk	low	dogs/public
Trapeze	low	n/a
Zip Wire	low	n/a

Note 1: Please see Code of Practice for further details on instructor competence.
Note 2: All activity sessions take place on site except Surfing, Bodyboarding and Beach Games which are based at Westward Ho! Beach. Tarka Trail Walk takes place on the Tarka Trail.
Note 3: Off-site activity sessions are subject to ongoing risk assessment.



Risk Assessment - Beam House

Fire

Conforms with Regulatory Reform Order (Fire Safety) and Fire Risk Assessment in place?

Yes.

Security

Rooms lockable?

Yes. Main house is locked secure overnight.

External doors locked at night?

Yes. (see note 1)

Identification

Every adult to wear identity pass at all times?

Yes. (see note 1)

Lighting

Control measures ensure adequate lighting of all walkways after dark?

Yes.

Slips & Trips

Are there any specific hazards identified in the risk assessment programme ? If so, detail.

Tree roots all around grounds. (see note 1)

Utility Integrity

Are all utility installations subject to inspection?

Yes, via HQ property dept.

Traffic Hazards

Are there any specific Traffic Hazards noted in the risk assessment programme? If so, detail.

Courtyard area outside centre presents low risk when coaches arrive/depart. (see note 1)

Restricted Areas

Are the out-of-bounds areas appropriately identified? If so, detail.

Centre boundaries are clearly defined. (see note 1)

Transport

Are there any integral transport issues evident from the risk assessment programme?

Yes, specific risk assessment is held to cover all coach routes used in the programme. Low risk. (see note 1)

Fire Procedures

Insert detail of fire drill procedure.

Each new intake has a walk through explanation of the fire procedure on day of arrival. (see note 1)

Emergency Procedures

Is there an emergency action plan in place, that has been rehearsed?

Yes.

Note 1

An introductory site tour highlights all relevant hazards to the guests. These hazards are constantly monitored while guests are on site. As a result of this control measure, the risk level is low in all areas noted.